



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

RESULT SHEET OF SEMESTER-I EXAMINATION HELD IN THE MONTH OF JANUARY, 2022

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
ENGA	2	308 / 400	7.57	ENGA	68	288 / 400	7.05	PLSA	107	265 / 400	6.21
ENGA	3	266 / 400	6.19	ENGA	69	274 / 400	6.43	PLSA	108	262 / 400	6.25
ENGA	5	289 / 400	6.92	ENGA	70	311 / 400	7.56	PLSA	109	307 / 400	7.26
ENGA	6	315 / 400	7.60	ENGA	71	248 / 400	5.82	PLSA	110	299 / 400	7.16
ENGA	7	275 / 400	6.43	ENGA	72	318 / 400	7.86	PLSA	111	275 / 400	6.40
ENGA	8	276 / 400	6.62	ENGA	73	295 / 400	7.05	PLSA	112	268 / 400	6.16
ENGA	9	281 / 400	6.66	ENGA	74	286 / 400	6.87	PLSA	113	258 / 400	5.93
ENGA	10	302 / 400	7.28	ENGA	75	268 / 400	6.21	PLSA	115	298 / 400	7.15
ENGA	11	274 / 400	6.41	ENGA	76	268 / 400	6.42	PLSA	117	272 / 400	6.17
ENGA	13	313 / 400	7.73	ENGA	77	293 / 400	7.01	PLSA	118	258 / 400	5.88
ENGA	14	312 / 400	7.69	ENGA	78	289 / 400	7.00	PLSA	119	278 / 400	6.43
ENGA	15	306 / 400	7.41	ENGA	79	*HENCR1011T*HFSGE10 11T		PLSA	120	283 / 400	6.87
ENGA	16	308 / 400	7.49	ENGA	80	290 / 400	6.95	PLSA	121	*HSOGE1011T	
ENGA	17	273 / 400	6.43	ENGA	81	309 / 400	7.73	PLSA	122	231 / 400	5.22
ENGA	19	ABS/DB		ENGA	82	252 / 400	5.73	PLSA	123	331 / 400	8.12
ENGA	20	331 / 400	8.33	ENGA	83	215 / 400	5.24	PLSA	124	269 / 400	6.24
ENGA	21	300 / 400	7.24	ENGA	84	240 / 400	5.34	PLSA	125	295 / 400	7.03
ENGA	22	287 / 400	6.85	ENGA	86	RW : HENCR1011T		PLSA	126	256 / 400	5.86
ENGA	24	253 / 400	5.85	ENGA	87	ABS/DB		PLSA	128	292 / 400	7.08
ENGA	25	288 / 400	6.71	ENGA	88	251 / 400	6.48	PLSA	129	246 / 400	5.48
ENGA	26	304 / 400	7.27	ENGA	89	262 / 400	6.12	PLSA	130	265 / 400	6.12
ENGA	28	262 / 400	6.04	ENGA	90	263 / 400	6.14	PLSA	134	269 / 400	6.16
ENGA	30	318 / 400	7.84	ENGA	91	301 / 400	7.26	PLSA	135	326 / 400	7.98
ENGA	31	255 / 400	5.82	ENGA	92	266 / 400	6.39	PLSA	137	277 / 400	6.42
ENGA	32	256 / 400	5.91	ENGA	93	189 / 400	4.60	PLSA	141	290 / 400	7.26
ENGA	37	292 / 400	7.12	ENGA	94	303 / 400	7.25	PLSA	143	239 / 400	5.43
ENGA	41	255 / 400	5.89	ENGA	95	278 / 400	6.81	PLSA	146	ABS/DB	
ENGA	43	281 / 400	6.73	ENGA	96	250 / 400	5.87	PLSA	147	306 / 400	7.42
ENGA	46	243 / 400	6.26	ENGA	97	258 / 400	5.95	PLSA	148	219 / 400	5.12
ENGA	47	279 / 400	6.87	ENGA	98	258 / 400	6.04	PLSA	149	286 / 400	6.75
ENGA	48	243 / 400	5.68	ENGA	99	*HSOGE1011T		PLSA	153	*HPSCR1021T	
ENGA	50	271 / 400	6.21	ENGA	100	251 / 400	5.75	PLSA	154	271 / 400	6.45
ENGA	51	260 / 400	5.92	ENGA	1001	234 / 400	5.21	PLSA	157	RW : CEAAE1011T	
ENGA	52	241 / 400	5.76	ENGA	1002	*HENCR1021T		PLSA	158	306 / 400	7.35
ENGA	54	285 / 400	6.77	ENGA	1003	297 / 400	7.14	PLSA	161	273 / 400	6.36
ENGA	56	303 / 400	7.35	ENGA	1004	272 / 400	6.37	PLSA	162	249 / 400	5.72
ENGA	60	250 / 400	6.38	ENGA	1005	280 / 400	6.59	PLSA	168	221 / 400	5.21
ENGA	61	242 / 400	6.05	PLSA	101	305 / 400	7.31	PLSA	169	*HPSCR1021T	
ENGA	62	207 / 400	5.24	PLSA	102	272 / 400	6.25	PLSA	171	267 / 400	6.28
ENGA	63	264 / 400	6.97	PLSA	103	298 / 400	7.32	PLSA	172	260 / 400	5.98
ENGA	64	328 / 400	8.15	PLSA	104	*HPSCR1021T		PLSA	173	247 / 400	5.61
ENGA	65	254 / 400	6.09	PLSA	105	216 / 400	4.97	PLSA	174	282 / 400	6.71
ENGA	66	286 / 400	6.66	PLSA	106	301 / 400	7.45	PLSA	175	278 / 400	6.56
ENGA	67	300 / 400	7.27					PLSA	176	*HPSCR1021T	

Sanita 28/2/22

Controller of Examinations
St. Xavier's College (Autonomous)

Controller of Examinations
St. Xavier's College (Autonomous)
(Under Calcutta University)

MTMA Results Incomplete

J. J. 02

Principal
St. Xavier's College (Autonomous)

Principal
St. Xavier's College
(Autonomous)
Kolkata

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-I EXAMINATION
HELD IN THE MONTH OF JANUARY, 2022**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
PLSA	177	*CEAAE1011T*HPSCR1011T* HPSCR1021T*HSOGE1011T		SOCA	244	298 / 400	7.19	BAGG	309	*CEAAE1011T*GENCR1011T* GENCR1021T*GSOCR1031T	
PLSA	178	293 / 400	6.99	SOCA	246	307 / 400	7.37	BAGG	310	313 / 400	7.75
PLSA	179	262 / 400	6.13	SOCA	247	300 / 400	7.28	BAGG	311	316 / 400	7.65
PLSA	180	305 / 400	7.42	SOCA	248	292 / 400	7.05	BAGG	312	278 / 400	6.59
PLSA	181	307 / 400	7.48	SOCA	249	313 / 400	7.80	BAGG	313	293 / 400	6.98
PLSA	182	259 / 400	6.06	SOCA	250	301 / 400	7.25	BAGG	314	277 / 400	6.57
PLSA	183	292 / 400	7.08	SOCA	251	285 / 400	6.88	BAGG	315	303 / 400	7.17
PLSA	185	303 / 400	7.19	SOCA	252	277 / 400	6.63	BAGG	318	242 / 400	5.66
PLSA	186	257 / 400	5.86	SOCA	253	288 / 400	6.97	BAGG	319	293 / 400	6.99
PLSA	187	249 / 400	5.55	SOCA	254	287 / 400	6.77	BAGG	320	280 / 400	6.66
PLSA	188	230 / 400	5.35	SOCA	255	*CFDAE1011T*HENG1011T* HSOCR1021T		BAGG	321	261 / 400	6.14
PLSA	191	223 / 400	4.89	SOCA	256	*HSOCR1021T		BAGG	322	300 / 400	7.08
PLSA	193	242 / 400	5.73	SOCA	257	278 / 400	6.57	BAGG	324	324 / 400	7.93
PLSA	194	258 / 400	6.02	SOCA	258	271 / 400	6.48	BAGG	326	272 / 400	6.26
PLSA	195	224 / 400	5.06	SOCA	259	277 / 400	6.56	BAGG	327	Results Withheld	
PLSA	196	265 / 400	6.13	SOCA	260	287 / 400	7.01	BAGG	328	307 / 400	7.33
PLSA	197	267 / 400	6.12	SOCA	261	268 / 400	6.26	BAGG	330	Results Withheld	
PLSA	198	296 / 400	7.09	SOCA	262	*HSOCR1021T		BAGG	332	*CEAAE1011T*CFDAE1011T* GENCR1021T	
PLSA	199	253 / 400	5.73	SOCA	263	284 / 400	6.80	BAGG	333	302 / 400	7.32
PLSA	200	237 / 400	5.57	SOCA	264	*HSOCR1011T		BAGG	334	275 / 400	6.67
SOCA	203	288 / 400	6.92	SOCA	268	319 / 400	7.73	BAGG	335	277 / 400	6.46
SOCA	206	274 / 400	6.32	SOCA	271	309 / 400	7.44	BAGG	337	267 / 400	6.19
SOCA	207	*HSOCR1021T		SOCA	272	275 / 400	6.56	BAGG	338	222 / 400	5.66
SOCA	208	280 / 400	6.75	SOCA	273	RW : HENG1011T		BAGG	339	301 / 400	7.33
SOCA	209	268 / 400	6.18	SOCA	274	284 / 400	7.01	BAGG	340	273 / 400	6.48
SOCA	210	300 / 400	7.13	SOCA	275	264 / 400	6.43	BAGG	341	241 / 400	6.14
SOCA	211	ABS/DB		SOCA	277	292 / 400	7.40	BAGG	342	267 / 400	6.55
SOCA	212	276 / 400	6.62	BNGA	501	235 / 400	5.56	BAGG	343	241 / 400	5.66
SOCA	214	293 / 400	7.16	BNGA	502	ABS/DB		BAGG	344	243 / 400	5.58
SOCA	216	288 / 400	6.81	BNGA	504	284 / 400	6.87	BAGG	345	280 / 400	6.58
SOCA	217	314 / 400	7.63	BNGA	505	325 / 400	7.85	BAGG	346	ABS/DB	
SOCA	218	297 / 400	7.12	BNGA	508	246 / 400	5.66	BAGG	347	311 / 400	7.47
SOCA	223	276 / 400	6.55	BNGA	510	306 / 400	7.36	BAGG	348	279 / 400	6.86
SOCA	224	269 / 400	6.53	BNGA	511	258 / 400	6.11	BAGG	350	289 / 400	7.19
SOCA	226	279 / 400	6.61	BNGA	515	299 / 400	7.29	BAGG	351	RA[*GPSCR1021T]	
SOCA	227	307 / 400	7.41	BNGA	516	243 / 400	5.48	BAGG	352	284 / 400	6.60
SOCA	228	266 / 400	6.31	BNGA	517	224 / 400	4.91	BAGG	354	277 / 400	6.53
SOCA	231	282 / 400	6.80	BAGG	301	296 / 400	7.07	BAGG	355	279 / 400	6.48
SOCA	232	283 / 400	6.75	BAGG	302	291 / 400	7.03	BAGG	356	251 / 400	6.47
SOCA	236	287 / 400	6.93	BAGG	303	309 / 400	7.41	BAGG	357	258 / 400	6.08
SOCA	240	274 / 400	6.78	BAGG	304	273 / 400	6.71	BAGG	358	ABS/DB	
SOCA	241	297 / 400	7.14	BAGG	305	233 / 400	5.45	BAGG	359	*CFDAE1011T	
SOCA	242	Results Withheld		BAGG	307	281 / 400	6.62	BAGG	360	253 / 400	6.09
SOCA	243	261 / 400	6.13	BAGG	308	314 / 400	7.76	BAGG	361	271 / 400	6.37

Anita 28/2/22

Controller of Examinations
St. Xavier's College (Autonomous)

Controller of Examinations
St. Xavier's College (Autonomous)
(Under Calcutta University)

MTMA Results Incomplete

J. L. Roy

Principal
St. Xavier's College (Autonomous)

Principal
St. Xavier's College
(Autonomous)
Kolkata

Note: There might be a few inadvertent errors.

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-I EXAMINATION
HELD IN THE MONTH OF JANUARY, 2022**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
BAGG	362	*CEAAE1011T*GENCR1011T* GENCR1021T*GSOCR1031T		PHSA	167	*CESAE1011T*CFDAE1011T* HMTGE1011T*HPHCR1012P* HPHCR1012T*HPHCR1022P* HPHCR1022T		ECOA	248	336 / 400	8.21
BAGG	364	263 / 400	6.26					ECOA	249	347 / 400	8.52
BAGG	365	289 / 400	7.16	PHSA	168	*CFDAE1011T*HPHCR10 22P		ECOA	250	325 / 400	7.88
BAGG	366	222 / 400	5.54	PHSA	169	288 / 400	6.87	ECOA	251	343 / 400	8.46
BAGG	367	264 / 400	6.82	PHSA	171	329 / 400	8.14	ECOA	252	357 / 400	8.75
BAGG	368	*CFDAE1011T		PHSA	172	ABS/DB		ECOA	253	344 / 400	8.54
PHSA	101	334 / 400	8.13	PHSA	173	325 / 400	7.80	ECOA	254	347 / 400	8.41
PHSA	102	309 / 400	7.76	PHSA	174	ABS/DB		ECOA	255	318 / 400	7.68
PHSA	103	353 / 400	8.66	PHSA	175	*CESAE1011T*HMTGE1011T* HPHCR1012P*HPHCR1012T* HPHCR1022P*HPHCR1022T		ECOA	256	336 / 400	8.15
PHSA	104	297 / 400	7.71	PHSA	177	331 / 400	8.08	ECOA	257	347 / 400	8.51
PHSA	106	325 / 400	7.83	PHSA	178	330 / 400	7.94	ECOA	258	305 / 400	7.17
PHSA	108	*CESAE1011T*HMTGE1011T* HPHCR1012P*HPHCR1012T* HPHCR1022P*HPHCR1022T		PHSA	179	307 / 400	7.41	ECOA	259	344 / 400	8.52
PHSA	111	324 / 400	7.93	ECOA	201	292 / 400	6.83	ECOA	260	356 / 400	8.78
PHSA	113	321 / 400	7.98	ECOA	203	303 / 400	7.33	ECOA	262	305 / 400	7.39
PHSA	114	275 / 400	7.24	ECOA	204	362 / 400	8.98	ECOA	263	328 / 400	7.95
PHSA	115	308 / 400	8.18	ECOA	205	347 / 400	8.49	ECOA	264	341 / 400	8.32
PHSA	119	326 / 400	7.96	ECOA	207	345 / 400	8.49	ECOA	266	335 / 400	8.17
PHSA	120	293 / 400	7.74	ECOA	208	342 / 400	8.38	ECOA	267	306 / 400	7.33
PHSA	121	320 / 400	7.75	ECOA	210	314 / 400	7.59	ECOA	268	364 / 400	8.99
PHSA	122	337 / 400	8.32	ECOA	211	314 / 400	7.51	ECOA	271	255 / 400	5.73
PHSA	123	331 / 400	8.17	ECOA	212	ABS/DB		ECOA	273	345 / 400	8.54
PHSA	127	333 / 400	8.18	ECOA	213	331 / 400	7.98	ECOA	274	331 / 400	8.13
PHSA	130	312 / 400	8.31	ECOA	214	336 / 400	8.24	ECOA	275	307 / 400	7.23
PHSA	131	334 / 400	8.31	ECOA	216	ABS/DB		ECOA	276	346 / 400	8.44
PHSA	132	*CFDAE1011T		ECOA	217	336 / 400	8.16	ECOA	277	353 / 400	8.84
PHSA	133	324 / 400	7.93	ECOA	219	328 / 400	8.07	ECOA	278	298 / 400	7.87
PHSA	139	322 / 400	7.76	ECOA	220	*HMTGE1011T		ECOA	279	329 / 400	7.94
PHSA	142	328 / 400	8.08	ECOA	221	330 / 400	8.05	ECOA	280	ABS/DB	
PHSA	143	346 / 400	8.59	ECOA	222	*HECCR1021T*HMTGE10 11T		ECOA	281	318 / 400	7.61
PHSA	144	303 / 400	7.53	ECOA	223	336 / 400	8.23	ECOA	282	310 / 400	7.57
PHSA	145	333 / 400	8.21	ECOA	224	353 / 400	8.72	ECOA	283	353 / 400	8.67
PHSA	149	312 / 400	7.51	ECOA	225	RW : HMTGE1011T		ECOA	284	320 / 400	7.86
PHSA	150	311 / 400	7.82	ECOA	226	326 / 400	7.99	ECOA	285	327 / 400	7.86
PHSA	152	330 / 400	8.14	ECOA	234	*HMTGE1011T		ECOA	288	344 / 400	8.41
PHSA	154	ABS/DB		ECOA	235	333 / 400	8.08	ECOA	290	313 / 400	7.40
PHSA	157	324 / 400	8.03	ECOA	236	ABS/DB		ECOA	293	312 / 400	7.80
PHSA	158	332 / 400	8.22	ECOA	241	349 / 400	8.53	ECOA	294	314 / 400	7.80
PHSA	159	324 / 400	7.86	ECOA	242	ABS/DB		ECOA	295	324 / 400	7.78
PHSA	160	310 / 400	7.45	ECOA	243	328 / 400	7.91	ECOA	296	345 / 400	8.48
PHSA	162	309 / 400	8.27	ECOA	244	315 / 400	7.58	ECOA	297	311 / 400	7.41
PHSA	163	321 / 400	8.53	ECOA	245	297 / 400	6.91	ECOA	298	313 / 400	7.52
PHSA	166	337 / 400	8.18	ECOA	246	342 / 400	8.52	ECOA	299	349 / 400	8.57
				ECOA	247	301 / 400	7.07	ECOA	300	322 / 400	7.82
								ECOA	1202	301 / 400	7.42

Santra. 28/2/22

Controller of Examinations
St. Xavier's College (Autonomous)

Controller of Examinations
St. Xavier's College (Autonomous)
(Under Calcutta University)

MTMA Results Incomplete

J. L. Das

Principal
St. Xavier's College (Autonomous)
Principal
St. Xavier's College
(Autonomous)
Kolkata

Note: There might be a few inadvertent errors.

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-I EXAMINATION
HELD IN THE MONTH OF JANUARY, 2022**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
ECOA	1203	293 / 400	7.60	CEMA	359	364 / 400	9.06	STSA	427	345 / 400	8.43
ECOA	1204	311 / 400	7.41	CEMA	360	362 / 400	9.09	STSA	428	330 / 400	8.06
ECOA	1205	334 / 400	8.07	CEMA	361	363 / 400	9.06	STSA	429	262 / 400	6.85
ECOA	1206	347 / 400	8.59	CEMA	362	332 / 400	8.19	STSA	431	330 / 400	7.97
ECOA	1207	*HECCR1021T		CEMA	363	347 / 400	8.60	STSA	433	359 / 400	8.92
CEMA	301	335 / 400	8.23	CEMA	364	369 / 400	9.23	STSA	434	326 / 400	7.98
CEMA	302	369 / 400	9.25	CEMA	366	*CESAE1011T*CFDAE1011T* HCHCR1012T*HCHCR1022T* HPHGE1012T		STSA	435	332 / 400	8.28
CEMA	306	305 / 400	7.33	CEMA	367	351 / 400	8.75	STSA	437	350 / 400	8.60
CEMA	307	*HCHCR1022P		CEMA	368	ABS/DB		STSA	438	328 / 400	8.05
CEMA	308	373 / 400	9.32	CEMA	373	ABS/DB		STSA	439	327 / 400	7.97
CEMA	309	340 / 400	8.43	CEMA	374	313 / 400	7.69	STSA	440	342 / 400	8.38
CEMA	310	369 / 400	9.24	CEMA	375	*CESAE1011T*HCHCR1012P* HCHCR1012T*HCHCR1022P* HCHCR1022T*HPHGE1012P* HPHGE1012T		STSA	441	331 / 400	8.00
CEMA	311	364 / 400	9.09	CEMA	378	315 / 400	7.66	STSA	442	339 / 400	8.28
CEMA	312	358 / 400	8.91	CEMA	380	351 / 400	8.63	STSA	443	346 / 400	8.46
CEMA	313	368 / 400	9.17	CEMA	385	311 / 400	7.54	STSA	444	337 / 400	8.28
CEMA	314	*HCSGE1012T		CEMA	386	342 / 400	8.43	STSA	445	331 / 400	8.05
CEMA	316	ABS/DB		CEMA	387	ABS/DB		STSA	446	344 / 400	8.44
CEMA	318	341 / 400	8.42	CEMA	389	338 / 400	8.33	STSA	447	296 / 400	7.09
CEMA	319	ABS/DB		CEMA	390	ABS/DB		STSA	448	320 / 400	7.72
CEMA	320	363 / 400	9.02	CEMA	391	321 / 400	7.83	STSA	449	325 / 400	7.86
CEMA	321	322 / 400	7.92	CEMA	393	364 / 400	8.98	STSA	450	330 / 400	8.06
CEMA	324	ABS/DB		CEMA	394	362 / 400	9.03	STSA	451	329 / 400	8.15
CEMA	328	351 / 400	8.69	STSA	401	349 / 400	8.60	STSA	452	323 / 400	7.74
CEMA	329	365 / 400	9.07	STSA	402	359 / 400	8.86	STSA	453	343 / 400	8.43
CEMA	330	346 / 400	8.49	STSA	403	352 / 400	8.62	STSA	454	335 / 400	8.18
CEMA	334	360 / 400	9.03	STSA	404	329 / 400	7.95	STSA	455	343 / 400	8.41
CEMA	337	339 / 400	8.33	STSA	405	302 / 400	7.55	STSA	456	325 / 400	7.86
CEMA	339	351 / 400	8.69	STSA	406	334 / 400	8.28	STSA	457	286 / 400	7.16
CEMA	341	ABS/DB		STSA	407	ABS/DB		STSA	458	335 / 400	8.16
CEMA	342	374 / 400	9.36	STSA	408	330 / 400	8.01	STSA	460	335 / 400	8.14
CEMA	343	ABS/DB		STSA	410	338 / 400	8.27	STSA	461	337 / 400	8.22
CEMA	344	308 / 400	7.48	STSA	411	351 / 400	8.63	STSA	465	297 / 400	7.04
CEMA	345	*CESAE1011T*CFDAE1011T* HCHCR1012T*HCHCR1022T* HPHGE1012T		STSA	412	319 / 400	7.85	STSA	466	327 / 400	7.91
CEMA	346	339 / 400	8.40	STSA	413	ABS/DB		STSA	467	351 / 400	8.66
CEMA	348	371 / 400	9.28	STSA	414	331 / 400	8.23	STSA	468	298 / 400	7.09
CEMA	350	370 / 400	9.25	STSA	415	351 / 400	8.61	STSA	469	303 / 400	7.39
CEMA	352	365 / 400	9.15	STSA	416	344 / 400	8.46	STSA	470	324 / 400	7.89
CEMA	353	355 / 400	8.78	STSA	417	347 / 400	8.47	STSA	471	337 / 400	8.19
CEMA	354	340 / 400	8.46	STSA	419	300 / 400	7.18	STSA	472	337 / 400	8.20
CEMA	355	*HBTGE1012T		STSA	420	331 / 400	7.98	STSA	473	307 / 400	7.43
CEMA	356	351 / 400	8.66	STSA	424	331 / 400	8.07	STSA	474	317 / 400	7.63
CEMA	357	315 / 400	7.71	STSA	425	*CESAE1011T*HMTGE1011T* HSTCR1012P*HSTCR1012T* HSTCR1022P*HSTCR1022T		STSA	475	337 / 400	8.22
CEMA	358	318 / 400	7.73					STSA	476	334 / 400	8.13
								STSA	477	335 / 400	8.14

Shantra 28/2/22

Controller of Examinations
St. Xavier's College (Autonomous)

Controller of Examinations
St. Xavier's College (Autonomous)
(Under Calcutta University)

MTMA Results Incomplete

Principal
St. Xavier's College (Autonomous)

Principal
St. Xavier's College
(Autonomous)
Kolkata

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-I EXAMINATION
HELD IN THE MONTH OF JANUARY, 2022**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
STSA	479	328 / 400	8.04	CMSA	542	*HPHGE1012P*HPHGE1012T		MCBA	608	321 / 400	7.96
STSA	480	344 / 400	8.44	CMSA	543	*HPHGE1012P		MCBA	609	311 / 400	7.76
STSA	481	311 / 400	7.48	CMSA	544	317 / 400	7.66	MCBA	610	ABS/DB	
STSA	482	322 / 400	7.79	CMSA	545	341 / 400	8.38	MCBA	612	313 / 400	7.62
STSA	483	324 / 400	7.89	CMSA	546	357 / 400	8.83	MCBA	614	299 / 400	7.85
STSA	484	318 / 400	7.60	CMSA	547	271 / 400	6.26	MCBA	619	314 / 400	7.49
STSA	485	309 / 400	7.42	CMSA	548	340 / 400	8.33	MCBA	620	ABS/DB	
STSA	486	326 / 400	7.85	CMSA	549	294 / 400	7.03	MCBA	621	327 / 400	7.84
STSA	487	340 / 400	8.40	CMSA	550	325 / 400	7.86	MCBA	622	320 / 400	7.82
STSA	488	312 / 400	7.47	CMSA	551	327 / 400	7.91	MCBA	623	291 / 400	7.21
STSA	489	329 / 400	8.09	CMSA	552	250 / 400	5.85	MCBA	624	ABS/DB	
STSA	490	311 / 400	7.44	CMSA	554	*CESAE1011T*HCSCR1012P* HCSCR1012T*HCSCR1022P*H CSCR1022T*HENG1011T		MCBA	631	340 / 400	8.32
CMSA	501	305 / 400	7.33	CMSA	555	314 / 400	7.57	MCBA	632	335 / 400	8.16
CMSA	503	301 / 400	7.21	CMSA	556	332 / 400	8.13	MCBA	636	*CESAE1011T*HBTGE1012P* HBTGE1012T*HMBCR1012P* HMBCR1012T*HMBCR1022P *HMBCR1022T	
CMSA	504	336 / 400	8.28	CMSA	557	301 / 400	7.20	MCBA	639	339 / 400	8.38
CMSA	505	363 / 400	9.01	CMSA	558	308 / 400	7.36	MCBA	640	ABS/DB	
CMSA	506	297 / 400	7.15	CMSA	559	ABS/DB		MCBA	642	309 / 400	7.42
CMSA	507	271 / 400	6.26	CMSA	560	280 / 400	6.53	MCBA	643	ABS/DB	
CMSA	508	295 / 400	7.02	CMSA	561	312 / 400	7.51	MCBA	644	331 / 400	8.01
CMSA	509	318 / 400	7.76	CMSA	563	290 / 400	6.84	MCBA	645	303 / 400	7.89
CMSA	510	273 / 400	6.39	CMSA	564	321 / 400	7.74	MCBA	647	330 / 400	8.03
CMSA	511	274 / 400	6.27	CMSA	565	ABS/DB		MCBA	648	ABS/DB	
CMSA	514	327 / 400	7.99	CMSA	566	299 / 400	7.13	MCBA	649	ABS/DB	
CMSA	515	269 / 400	6.21	CMSA	567	251 / 400	5.80	MCBA	650	335 / 400	8.18
CMSA	516	307 / 400	7.43	CMSA	568	282 / 400	6.63	MCBA	651	ABS/DB	
CMSA	517	308 / 400	7.35	CMSA	569	310 / 400	7.51	MCBA	653	ABS/DB	
CMSA	518	341 / 400	8.35	CMSA	570	311 / 400	7.47	MCBA	654	329 / 400	8.06
CMSA	519	343 / 400	8.41	CMSA	571	257 / 400	5.78	MCBA	655	269 / 400	6.41
CMSA	520	321 / 400	7.72	CMSA	573	275 / 400	6.51	MCBA	656	288 / 400	7.03
CMSA	521	345 / 400	8.52	CMSA	574	296 / 400	6.99	MCBA	657	342 / 400	8.29
CMSA	523	296 / 400	7.07	CMSA	576	288 / 400	6.69	MCBA	658	336 / 400	8.26
CMSA	524	355 / 400	8.84	CMSA	577	271 / 400	6.29	MCBA	659	*HBTGE1012P*HBTGE1012T* HMBCR1022P	
CMSA	525	317 / 400	7.66	CMSA	579	*HPHGE1012P*HPHGE1012T		MCBA	660	ABS/DB	
CMSA	526	332 / 400	8.09	CMSA	580	*HBTGE1012P*HBTGE1012T* HCSCR1022P RW[*HCSCR1022T]		MCBA	661	298 / 400	6.99
CMSA	528	ABS/DB		CMSA	581	286 / 400	6.73	MCBA	662	347 / 400	8.45
CMSA	529	318 / 400	7.69	CMSA	582	*HCSCR1022P		MCBA	663	296 / 400	7.03
CMSA	531	307 / 400	7.39	CMSA	583	335 / 400	8.21	MCBA	664	*HMTGE1011T	
CMSA	533	322 / 400	7.75	MCBA	601	343 / 400	8.41	MCBA	665	325 / 400	7.84
CMSA	534	292 / 400	7.02	MCBA	602	337 / 400	8.23	MCBA	667	279 / 400	6.59
CMSA	537	334 / 400	8.08	MCBA	605	324 / 400	7.79	MCBA	668	323 / 400	7.82
CMSA	539	357 / 400	8.91	MCBA	606	340 / 400	8.23	MCBA	669	339 / 400	8.22
CMSA	540	ABS/DB		MCBA	607	340 / 400	8.25	MCBA	670	304 / 400	7.47
CMSA	541	297 / 400	7.01					MCBA	672	290 / 400	7.19

Shanta 28/2/22

Controller of Examinations
St. Xavier's College (Autonomous)

Controller of Examinations
St. Xavier's College (Autonomous)
(Under Calcutta University)

MTMA Results Incomplete

J. Inioj

Principal
St. Xavier's College (Autonomous)

Principal
St. Xavier's College
(Autonomous)
Kolkata

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-I EXAMINATION
HELD IN THE MONTH OF JANUARY, 2022**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
MCBA	673	320 / 400	7.78	MCVA	827	313 / 400	7.62				
MCBA	674	*CESAE1011T*CFDAE1011T* HMBCR1012P*HMBCR1012T *HMBCR1022P*HMBCR1022 T*HPHGE1012P*HPHGE1012 T		MCVA	828	306 / 400	7.38				
MCBA	675	341 / 400	8.28	MCVA	829	297 / 400	6.99				
MCBA	676	324 / 400	7.97	MCVA	831	274 / 400	6.47				
MCBA	678	331 / 400	8.24	MCVA	832	297 / 400	7.08				
MCBA	679	340 / 400	8.21	MCVA	833	300 / 400	7.22				
MCBA	680	328 / 400	8.03	MCVA	835	276 / 400	6.54				
MCBA	681	326 / 400	8.05	MCVA	837	248 / 400	5.61				
MCBA	684	283 / 400	7.31	MCVA	838	287 / 400	6.76				
MCBA	685	268 / 400	6.24	MCVA	839	277 / 400	6.51				
MCBA	686	334 / 400	8.38	MCVA	840	315 / 400	7.60				
MCBA	687	345 / 400	8.39	MCVA	841	306 / 400	7.37				
MCBA	688	322 / 400	7.71	MCVA	842	294 / 400	7.07				
MCBA	689	316 / 400	7.56	MCVA	843	296 / 400	7.17				
MCBA	690	336 / 400	8.15	MCVA	844	322 / 400	7.87				
MCBA	691	301 / 400	7.22	MCVA	845	313 / 400	7.66				
MCBA	692	317 / 400	8.27	MCVA	846	262 / 400	6.25				
MCBA	693	305 / 400	7.19	MCVA	847	287 / 400	6.82				
MCVA	801	300 / 400	7.20	MCVA	848	292 / 400	6.97				
MCVA	802	295 / 400	7.03	MCVA	849	314 / 400	7.63				
MCVA	803	283 / 400	6.65	MCVA	850	305 / 400	7.38				
MCVA	805	305 / 400	7.27	MCVA	851	314 / 400	7.64				
MCVA	806	274 / 400	6.32	MCVA	852	306 / 400	7.37				
MCVA	807	268 / 400	6.31	MCVA	853	332 / 400	8.09				
MCVA	808	307 / 400	7.37	MCVA	854	247 / 400	5.49				
MCVA	809	311 / 400	7.63	MCVA	855	272 / 400	6.42				
MCVA	811	275 / 400	6.38	MCVA	856	253 / 400	5.86				
MCVA	812	317 / 400	7.67	MCVA	857	290 / 400	6.89				
MCVA	813	314 / 400	7.60	MCVA	858	325 / 400	7.97				
MCVA	814	282 / 400	6.61	MCVA	859	282 / 400	6.57				
MCVA	815	287 / 400	6.88	MCVA	860	332 / 400	8.13				
MCVA	816	290 / 400	6.85	MCVA	861	312 / 400	7.45				
MCVA	817	288 / 400	7.05	MCVA	862	223 / 400	5.82				
MCVA	818	276 / 400	6.41	MCVA	863	310 / 400	7.49				
MCVA	819	*HPHGE1012T		MCVA	864	316 / 400	7.73				
MCVA	820	270 / 400	6.40	MCVA	865	264 / 400	6.32				
MCVA	821	307 / 400	7.39	MCVA	866	320 / 400	7.81				
MCVA	822	319 / 400	7.64	MCVA	868	291 / 400	6.94				
MCVA	823	272 / 400	6.44	MCVA	869	299 / 400	7.15				
MCVA	824	285 / 400	6.75	MCVA	870	296 / 400	7.13				
MCVA	825	277 / 400	6.48	MCVA	871	281 / 400	6.59				
MCVA	826	327 / 400	7.99	MCVA	872	302 / 400	7.31				
				MCVA	873	RW[*HMVCR1022P]					
				MCVA	874	303 / 400	7.37				

Anitra 28/2/22

Controller of Examinations
St. Xavier's College (Autonomous)

Controller of Examinations
St. Xavier's College (Autonomous)
(Under Calcutta University)

MTMA Results Incomplete

J. L...

Principal
St. Xavier's College (Autonomous)

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper

Principal
St. Xavier's College
(Autonomous)
Kolkata